



Hanover® Architectural Products | Tools and Accessories



Hanover® Prest® Pavers, Prest® Bricks and Masonry units are fabricated to meet and/or exceed the industries highest standards. When Hanover® products are installed properly, they require very little maintenance and provide an attractive and durable surface for many years. Hanover® can provide accessories for concrete products ranging from sealers to edge restraints.

- Hanover® Edge 100
- Hanover® Edge 200
- Hanover® Edge 300
- Hanover® Edging Spikes
- Hanover® Intensifying Sealer
- Hanover® Natural Sealer



### Hanover® Sealers

Unit pavers are designed to be a low maintenance investment. However, pavers may be sealed for preservation or color enhancement. Hanover® suggests a complete paver cleaning prior to sealing. Major stains must first be removed with specialized cleaner designed for the type of stain, followed by a cleaning of the entire area with a general cleaner. It is best to seal pavers soon after they have been thoroughly cleaned. Pavers and joints must be completely dry, clean and free of oil, grease, dust, dirt, sand, efflorescence and frost. It is advised that sealers not be applied when temperatures are below 50°F. Hanover® Sealers softly enhance or deepen color depending on type of sealer used. Sealers provide excellent protection from water, alkalis, acids, air borne pollutants and ultraviolet light, making pavers easier to clean.



- Enhances appearance and color
- Protects against oil and dirt penetration on surface
- Makes surface easy to clean
- Reinforces joints by keeping sand in place
- Minimizes erosion and weed growth
- Environmentally compliant

**Hanover® Intensifying Sealer**  
 Hanover® Intensifying Sealer forms a long lasting protection barrier from water, dirt, oil and UV light while allowing the paver surface to breathe. Color is deeply intensified, simulating the appearance of wet pavers.

**Hanover® Natural Sealer**  
 Hanover® Natural Sealer forms a long lasting protection barrier from water, dirt, oil and UV light while allowing the paver surface to breathe. Pavers maintain a natural appearance while color is softly enhanced.

*Please Note:* Do not apply Sealer too heavily. Over application can create a milky fog on the paver surface.

Test/Agent	Duration	Test Result
Hydrochloric Acid	3 hours	No effect. No damage to Sealer.
Hydrogen Peroxide	24 hours	
Motor Oil	24 hours	
Vegetable Oil	24 hours	
Formula 409®	24 hours	
Magic Marker	4 days	Formula 409® removed mark. No damage.

## Hanover® Edge

Hanover® Edge 100, Edge 200 and Edge 300 are one piece edge restraint systems designed to work with the interlock assembly and resist freeze thaw independent movement. Made from UV resistant 100% recycled material, Hanover's edging will provide unit paver system interlock which is essential to a long lasting and stable paver installation.

All three Hanover® Edgers have been designed with a strength rib for incredible durability. Curves, radii and straight edges can all be achieved with one piece. For Edge 100 and 200, simply cut the back and flex to desired radius. Edge 300 does not require any cutting. By incorporating a lip, Hanover® Edge 200 utilizes the downward pressure of load and the weight of the pavers to tie the edging to the pavement.



Use with Hanover's Edging Spikes for quick and simplified installation. With an open base, grass will grow through the voids in the edging and up to the paver edge. Hanover Edgers are well suited for both commercial and residential applications.

- 100% recycled material
- UV resistant
- Commercial and residential applications
- Strength Rib
- Quick and easy installation
- Curves, radii and straight edges
- Open base for grass growth

### Hanover® Edge 100 & 300 Packaging

1 Bundle = 12 pcs = 96' = 30 lbs  
 1 Pallet = 660 pcs = 5280' = 2030 lbs  
 55 Bundles = 1 pallet

### Hanover® Edge 200 Packaging

1 Bundle = 6 pcs = 48' = 17 lbs  
 1 Pallet = 330 pcs = 2640' = 1300 lbs  
 55 Bundles = 1 pallet

### Hanover® Edging Spikes Packaging

1 Spike = 13" length  
 1 Box = approx. 115 spikes = 50 lbs  
 1 Pallet = 48 boxes = 2400 lbs



**Hanover® Edge 100**  
 8' length, 1 7/8" height, 3" depth



**Hanover® Edge 200**  
 8' length, 1 7/8" height, 4" depth



**Hanover® Edge 300**  
 8' length, 1 7/8" height, 3" depth

### Hanover® Paver Mastic

Hanover's Paver Mastic is a high quality 2% neoprene modified asphalt mastic designed expressly as an adhesive for bricks and pavers in paving applications over bituminous setting beds. Paver Mastic is 100% asbestos free with a VOC of less than 150 g/l. Available in 5 gallon pails, the coverage rate is 30-50 square feet per gallon. Paver Mastic should be applied lightly. For complete application instructions, refer to product label.



### Hanover® Architectural Products | Concrete Adhesive

#### Concrete Adhesive

10.2 tube or 28 oz tube



#### Concrete Adhesive

Hanover's Concrete Adhesive is a high strength, structural grade construction adhesive designed for adhering products such as Prest® Pavers, Prest® Bricks, Chapel Stone® Garden Walls and Reconstructed Stone™.

Concrete Adhesive will bind to other materials such as concrete, wood, treated lumber, gypsum, aluminum foil back sheathing and urethane. Hanover's adhesive adheres well to dry and slightly damp surfaces.

- Superior strength and durability
- Quick curing time & easy application
- Long life
- Water resistant & freeze-thaw stable
- Withstand extreme wear and tear
- Supports vehicular traffic
- Adheres to dry and damp surfaces

### Hanover® Architectural Products | Alliance Gator Maxx

#### Gator Maxx Sand for Overlays

50 lbs. per bag



- Paver joints up to 1" max.
- Prevents weeds, insect damage and erosion
- Fast Setting
- Can be applied to pervious and non-pervious bed systems
- Available in Beige, Slate Grey or Ivory

#### Gator Dust Bond

50 lbs. per bag



- Paver joints 1/2 - 4"
- Polymeric Stone Dust
- Prevents weeds, insect damage and erosion
- Ideal for horizontal or sloping surfaces
- Firm yet maintains flexibility
- Available in Sahara Beige or Slate Grey

#### Gator Supersand Bond

50 lbs. per bag



- Paver joints up to 1" max.
- Prevents weeds, insect damage and erosion
- Fast Setting
- Ideal for horizontal or sloping surfaces
- Available in Beige, Slate Grey or Ivory

### RG+ Polymeric Sand for Paver Joints

RG+ Polymeric Sand is state-of-the-art mix of graded sand and binder that flows smoothly down joints for a fast and effective installation of pavers or slabs on surfaces exposed to normal traffic. Easy to use, RG+ Polymeric Sand starts to set only a few minutes after being activated with water and quickly becomes resistant to water erosion, weed growth and insect invasion.

- Paver joints: max. 1" wide, 1.5" deep
- Stabilizes pavers
- Inhibits weed growth
- Water resistant 90 minutes after installation
- Deters ants and other insects
- Available in 3 colors: Tan, Gray and New Carbon
- Eliminates joint erosion cause by rain, wind, frost heaving, etc.

### RG+ Polymeric Sand

50 lbs. per bag



### Hardscape Cleaner

1 gal or 5 gal



- Dislodges ground-in dirt and brightens up paver colors
- Prepares pavers prior to protector application
- Ideal for routine maintenance
- No damage or discoloration

### Paint, Tar and Rubber Remover

1 qt



- Effectively dissolves paint, tar or bitumen
- Also dissolves rubber and chewing gum
- Works and evaporates slowly, making stripping of large surfaces much easier

### Professional Grade Oil and Grease Remover

1 qt



- Removes penetrated petroleum based products
- Lifts and absorbs embedded oil and grease stains
- Dries from a liquid to a powder
- No damage or discoloration
- No scrubbing. No rinsing. No mess.

### Paver Primer - Efflorescence Cleaner

1 gal or 5 gal



- Dislodges efflorescence and ground-in dirt
- Prepares pavers prior to protector application
- Brightens up paver colors
- Contains no muriatic acid
- No damage or discoloration

### Rust Remover

1 qt



- Effectively removes stains caused by rusted metal objects, fertilizer, etc.
- Contains no muriatic acid
- No damage or discoloration

### Organic Stain Remover

25 oz.



- Effectively removes moss, mildew, bird droppings and leaves, wine, blood and non-greasy food stains
- No damage or discoloration
- For use on bare and sealed surfaces
- Requires minimal scrubbing



### Probst Basic Tools

- Paver Extractor
- Paver Adjuster
- Paver Paw
- Base Rake
- Sand Pull
- Stake Out
- Slab Extractor
- Paver Persuader
- Slab Grabber
- Paver Broom
- Paver Pounder



### Probst Layout Tools

- String Along
- Laser Square Pro
- Laser Level
- Paver Square Pro



### Probst Marking Tools

- Paver Scribe
- Quick Draw
- 4 x 45° Marker
- 6 x 9 x 45° Marker
- Flex Marker
- Wedgie Mark



### Halder Hammers

- Paver Mallet : 13" wood handle, 2 3/8" interchangeable head, two striking surfaces, 4 lbs.
- Sledge Mallet : 31" wood handle, 3 1/8" interchangeable head, two striking surface, 8 lbs.
- Wall Mallet : 19" wood handle, 3 1/8" interchangeable head, two striking surfaces, 7 lbs.
- Deadblow Model 375 : 12" wood handle, 2 3/8" head, white very hard nylon heads, 3.75 lbs.
- Deadblow Model 500 : 12" wood handle, 2 3/4" head, white very hard nylon heads, 5 lbs.



### Probst SandPULL Pro

SandPULL Pro 7.5/10 : 35 lbs.  
SandPULL Pro 3/7.5 : 33 lbs.

- Screed standing, increasing speed and accuracy
- Allows one person to screed between 3' - 7.5' or 7.5' - 10'
- Extension Kit for adjustable screed widths



### Probst Paver Cart

Weight: 150 lbs  
Carrying Capacity: 880 lbs.  
Adj. Clamping Width: 23" - 41 3/4"

- 45" overall width, 12" tire diameter
- Adjustable clamping shoes fit most paver shapes and sizes.
- Move banded/unbanded pavers
- Optional Third Wheel and Cart Tray



### Probst Splitters

- Paver Splitter : 13" cutting length, 3/8" - 4 3/4" cutting height, 91 lbs.
- Wall Splitter : 17" cutting length, 3/8" to 12" cutting height, 126 lbs.
- Slab Splitter : 25 1/2" cutting length, 3/8" to 15 3/4" cutting height, 194 lbs.
- Electric Hydraulic Splitter : 17" cutting length, 1/3" to 8" cutting height, 300 lbs.



These Wacker Neuson vibratory plates offer functionality and performance at a value price. The compact design allows for compaction in the narrowest of spaces - even in extremely narrow trenches. These plates are ideal for curbs, gutters, around tanks, forms, columns, footings, guard railings, drainage ditches, gas and sewer works and building construction.

Hanover® can provide Wacker Neuson's full line of products. Contact a Hanover® sales representative for more information.

**BTS 935L3**

Disc Diameter: 14"  
Cutting Depth: 4.8 max  
Weight:  
22.5 lbs.



**WP 1540**

Base Plate Size:  
23"x 15.5"  
Max. Centrifugal Force:  
3375 lbf  
Weight:  
190 lbs.



**VP 1550**

Base Plate Size:  
23"x 20"  
Max. Centrifugal Force:  
3375 lbf  
Weight:  
184 lbs.



**VP 2050**

Base Plate Size:  
23"x 20"  
Max. Centrifugal Force:  
4500 lbf  
Weight:  
230 lbs.



Hanover® Architectural Products | FireRock Outdoor Fireplace Systems

Hanover® can provide outdoor fireplaces that are perfect for outdoor kitchens, patios, screened porches, and other projects. The traditional fireplace look from FireRock, the Outdoor Fireplace includes firebox, smoke chamber, and chimney.

Hanover® can also provide the NEW FireRock Outdoor Oven. Made of the same proprietary insulating materials as our fireplaces, the wood fired outdoor oven can sustain temperatures of over 600°F and circulate heat for even cooking.



NEW Outdoor Oven



30" Outdoor Fireplace Kit



36" Outdoor Fireplace Kit



42" Outdoor Fireplace Kit

Hanover® Architectural Products disclaims responsibility or liability in any manner from discoloration or adverse reaction from any chemicals applied to Hanover® Pavers. These are only suggestions that have worked on past projects. Please consider all surrounding buildings, vegetation and local codes when using any type of chemicals. Follow all manufacture instructions for application, handling and usage amounts from the container/bag of the products you are using. Material Safety Data Sheets are available upon request.


**Product Installation** : Each project and site conditions are unique. It is important to contact a Hanover® representative for product details and installation guidelines. An architect, landscape architect, and/or structural engineer should be consulted to develop a specification suited for the individual project. • Neither this catalog, nor any of the individual product catalogs from Hanover® Architectural Products, is intended to be a design manual. The projects pictured and the installation suggestions given in this catalog are only illustrations of Hanover® products. Each application and specification for installation should have the attention of an architect, landscape architect, and/or structural engineer. • As product use and site conditions are not within our control, Hanover® does not guarantee results from use of such products or other information herein: no warranty, express or implied is given. As government regulations and use conditions may change, it is the Buyers responsibility to determine the appropriateness of these products for the specific end uses.

**Please Note:** The color photos shown in this catalog were prepared with great concern for accuracy. However, it is suggested that actual samples be requested before specifying. Due to the natural variance of the raw materials used, products can be expected to differ slightly from sample to actual product. It is recommended that the products be cleaned after the installation is finished. Please contact our representatives for product suggestions.

Hanover® Architectural Products reserves the right to modify, alter or discontinue the texture, color, content, shape or size of its products or any product line at any time for any reason.

**Contact Us** for product details and information. We invite you to call us at 800-426-4242 to discuss your project, visit our web site [www.hanoverpavers.com](http://www.hanoverpavers.com) to download current catalogs and more detailed product information, or request our complete product brochures and samples.

©1971-2011 Hanover® Architectural Products



# HANOVER®

## Architectural Products

5000 Hanover Road, Hanover, PA 17331  
717.637.0500 • fax 717.637.7145  
[www.hanoverpavers.com](http://www.hanoverpavers.com)

